General Purpose Temperature Sensor Product Information Sheet

501-1129

Overview

The 501-1129 is CPC's general purpose temperature sensor. It is suited for a wide variety of applications. The temperature sensor has a 10K Ω thermistor. The thermistor is enclosed in a nickel-plated brass shell with epoxy. The sensor has a green 20' pigtail. The wire is a 22 AWG CL3X cord with 2 conductors. The cable is UL rated for 194°F (90°C). The sensor has been tested by CPC to maintain less than 0.72°F error between -40 and 248°F.

Installation

The sensor connections to the input point on the 16Al board are not polarity sensitive. The sensor can be wired to any available point on the 16Al board. Connect one lead to the 0V input, and connect the other lead to the SIG input. The sensor is connected as shown below in the Sensor Wiring Diagram. The sensor has a male mulex connector for use with a TD3 or Case Controller.

The dip switch for the 16AI input should be set to the ON position.



The sensor includes a metal insulated clamp for securing the sensor. Mounting hardware is not included with the clamp. The sensor can also be secured using standard cable ties (not provided).



Resistance Chart

The accuracy of the resistor can be verified using an Ohm meter. The chart below shows the resistance for various temperatures.

| Temperature | Temperature | Resistance |
|-------------|-------------|------------|
| (°F) | (℃) | (Ohms) |
| -40 | -40 | 336,450 |
| -30 | -34 | 234,170 |
| -20 | -29 | 165,210 |
| -10 | -23 | 118,060 |
| 0 | -18 | 85,399 |
| 10 | -12 | 62,493 |
| 20 | -7 | 46,235 |
| 30 | -1 | 34,565 |
| 40 | 4 | 26,100 |
| 50 | 10 | 19,899 |
| 60 | 16 | 15,311 |
| 70 | 21 | 11,883 |
| 80 | 27 | 9,299 |
| 90 | 32 | 7,334 |
| 100 | 38 | 5,828 |
| 110 | 43 | 4,664 |
| 120 | 49 | 3,758 |
| 130 | 54 | 3,048 |
| 140 | 60 | 2,488 |
| 150 | 66 | 2,042 |
| 160 | 71 | 1,686 |
| 170 | 77 | 1,400 |
| 180 | 82 | 1,169 |
| 190 | 88 | 981 |
| 200 | 93 | 827 |

EmersonTM, Emerson. Consider It SolvedTM and Emerson Climate TechnologiesTM logos are trademarks and service marks of Emerson Electric Co. Intelligent StoreTM is a trademark of Emerson Climate Technologies. All other trademarks are the property of their respective owners. © 2011 Emerson Climate Technologies, Inc. All rights reserved.



www.emersonretailsolutions.com



EMERSON. CONSIDER IT SOLVED.

20