

Competibility and Cross referencing with Honeywell Wi-Fi 9000 and Competitors Thermostat

The table below lists competitor's products, Honeywell's obsolete products and possible functional replacements. It is the responsibility of the users to check the details and ensure the chosen replacement is suitable depending on the application. The alternatives product may not be a direct replacement for the original items.

Smart Temp	Features	Honeywell Part No.	Comments
42-157	1 Heat 1 Cool Heat Pump with 5-2 Programmable,	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional
42-157b	1 Heat 1 Cool Heat Pump with 5-2 Programmable,	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional
42-158	1 Heat 1 Cool or Heat pump, 5-1-1 programmable with 4 periods per day, manual changeover, Filter monitor	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional Filter Monitor Email Notification
44-233	1 Heat 1 Cool Heat pump system, Non-programmable	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional Non-Programmable setting available
ISIS	3 Heat 2 Cool or Heat pump with Aux Heat, 7 days programmable commercial application	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional Commercial application setting available
SMT-10	Heat only mechanical thermostat with On/Off switch.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - with R4611G transformer to work on 240Vac system
SMT-200	2 Heat 2 Cool Non-programmable Heat Pump & Heat Cool Thermostat	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional Non-Programmable setting available
SMT-300	2 Heat 2 Cool, 5-1-1 Programmable with 4 periods per day	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 7 day programmable
SMT-310	2 heat 2 Cool, 7 days Programmable with 1 speed fan	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 7day programmable

White Roger	Features	Honeywell Part No.	Comments
1F80-51	1 Heat 1 Cool 5-2 Programmable - 24Vac or Millivolt Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable
1F72-151	2 Heat 1 Cool Heat Pump, 5-2 Programmable, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable
1F80-361	1 Heat 1 Cool 5-2 Programmable - 24Vac or Millivolt Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable
1F97-1277	1 Heat 1 Cool 5-1-1 Programmable, 24Vac, Touch screen interface	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
1F97-0671	1 Heat 1 Cool 5-1-1 programmable with Heat Pump system, 24Vac	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable
1F80-0471	1 Heat 1 Cool 5-1-1 programmable with Heat Pump system, 24Vac	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable
1F86-0471	1 Heat 1 Cool Non- programmable with Heat Pump system, 24Vac	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional Non-Programmable setting available
Vertical - Manual	Single stage heat only - 24Vac or millivolt Input	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional Non-Programmable setting available
Series Blue	Multi stage / Heat pump, programmable, touch screen, 24Vac or millivolt	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface

Siemens	Features	Honeywell Part No.	Comments
RAA 30	Single stage Heating or cooling, 24 - 240Vac with adjustment dial and on/off switch.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - up to 3H/2C heat pump and 2H/2C conventional 24Vac with R4611G transformer to work on 240Vac system
RDE 20.1	Heat Only, 7 days programmable, 2 position control with on/off output, Optional temp sensor, 24 - 240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable with R4611G transformer to work on 240Vac system
RAA 40	Single stage Heating and cooling, Non-Programmable, Manual adjustment knob, 8 - 30°C Temp Range, 24-240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-programmable setting available
RAA 10	Heat or Cool only, 24 or 240Vac, 2A SPST Relay with 8 - 30°C Temp Range	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-programmable setting available
RAA 20	Heat or Cool only, 24 or 240Vac, 2A SPST Relay with 8 - 30°C Temp Range	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-programmable setting available
REV 12	Up to 2 Heating stage, Auto mode, PID Mode, Override function with frost protection, 24 - 240Vac Input,	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system
REV 16	Up to 3 Heating periods, Auto mode, PID Mode, Override function, frost protection, Holiday mode, periodic pump run with 24 - 240Vac Input,	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system
REV 23	Up to 3 Heating or Cooling Periods, Auto mode, PID Mode, Override function, frost protection, Holiday mode, periodic pump run with 24 - 240Vac Input,	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system
RDX42.2	1 Heat or 1 Cool, 2 Heat or 1 Cool Heat Pump, manual changeover, Fan Auto/On, external sensor option, 240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Fan Auto-On-Circulation. Auto- Manual changeover
RDX42.22	1 Heat or 1 Cool, 2 Heat or 1 Cool Heat Pump, manual changeover, Fan Auto/On, external sensor option, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac
RDE10.1	Heat Only, 7 days programmable, 2 position control with on/off output, Optional temp sensor, 24 - 240Vac Input with 5(2) Amps.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac 7 day programmable, with R4611G transformer to work on 240Vac system
RAA 40.2	Single stage Heating and cooling, Non-Programmable, Manual adjustment knob, 8 - 30°C Temp Range, 24-240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac, with R4611G transformer to work on 240Vac system Non-programmable setting available

Eberle	Features	Honeywell Part No.	Comments
RTR-E 6747	Cool only, 24 or 240Vac Input, Temp Range 5 - 30°C Room Thermostat.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-programmable setting available
RTR-E 6722	Cool or Heat, 24 or 240Vac Input, Temp Range 5 - 30°C Room Thermostat.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-programmable setting available
KLR-E 7611	Heat Pump System, 240Vac Input, Temp Range 5 - 30°C with on/off switch.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-programmable setting available
KLR-E 52552HP	Heat Pump System, 240Vac Input, Temp Range 5 - 30°C with on/off and 3 speed Fan switch.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system
RTR 3546	Cool only, 240Vac Input, Temp Range 0 - 30°C Room Thermostat.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system
RTR 6722	Heat or Cool, 24 or 240Vac Input, Temp Range 5 - 30°C Room Thermostat.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system
RTR-E 3521	Heat or Cool, Bimetal technology, 230Vac, Temp Range 5 - 30°C.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system
RTR-E 6202	Heat only, Bimetal technology with thermal feedback, single contact, 230Vac, Temp Range 5 - 30°C.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system
RTR-E 6705	Heat or Cool, Bimetal technology with thermal feedback, 230Vac, Temp Range 5 - 60°C.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system
RTR-E 6763	Heat or Cool, Bimetal technology with thermal feedback, 1 changeover contact, on/off 230Vac, Temp Range 5 - 30°C.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system
RTR-E 6749	Heat or Cool, Bimetal technology with thermal feedback, 1 changeover contact, on/off 24Vac, Temp Range 5 - 30°C.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system
INSTAT 6-3 ws	Heat & Cool, 240Vac Input, Digital Programmable with 6 periods per day, Temp Range: 5 - 40°C with Holiday & frost protection functions.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac 7 Day programmable Colour Touch Screen. Holiday setting, with R4611G transformer to work on 240Vac system

Honeywell

Johnson Controls	Features	Honeywell Part No.	Comments
T22AAA	Line Voltage, SPST Heating, "Off-Auto" selector switch with high temperature stop	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac 7 Day programmable Colour Touch Screen. Holiday setting, with R4611G transformer to work on 240Vac system
T22BBC	Line Voltage, SPST Medium Duty Heating, "Auto- Off-Fan" selector switch	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac 7 Day programmable Colour Touch Screen. Holiday setting, with R4611G transformer to work on 240Vac system
T22CBC	Line Voltage, SPST Heavy Duty Heating, "Auto- Off- Fan" selector switch	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac Non-Programmable Setting available with R4611G transformer to work on 240Vac system
T22JAA	Line Voltage, SPST Cooling, "Off- Auto" selector switch with high temperature stop	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac Non-Programmable Setting available with R4611G transformer to work on 240Vac system
T26A	Line voltage, 240Vac, Thermostat SPST, Heating Only, Dial lock	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac Non-Programmable Setting available with R4611G transformer to work on 240Vac system
T26B	Line voltage, 240Vac, Thermostat SPST, Heavy Duty Heating Only, Dial lock	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac Non-Programmable Setting available with R4611G transformer to work on 240Vac system
T26J	Line voltage, 240Vac, Thermostat SPST, Cooling Only, Dial lock	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac Non-Programmable Setting available with R4611G transformer to work on 240Vac system

Robertshaw	Features	Honeywell Part No.	Comments
800 Series	Line Voltage 240Vac, Bimetal temperature sensing, mercury free, SPST/DPST. 18-25Amp Heating only or Cooling only 10-32°C	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac Non-Programmable Setting available, with R4611G transformer to work on 240Vac system
900 Series	Low voltage 24Vac, mercury free mechanical thermostat 10-30°C, Heat Only/ Cool Only/ 1Heat or 1Cool, on-off switch, suitable for gas, electric application	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7 Day programmable
9300 series	Programmable thermostat, temporary program override, auto-changeover, remote sensor capable, 7 day /5-2 day, 1H/1C gas, electric application -2H1C heatpump/1C only	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7 Day programmable
9500 series	24Vac Non-programmable digital thermostat 1H/1C, or 1C, or 2H/2C battery back up, cool-off-heat, fan auto-on	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac Non-programmable setting available
9400 series	24Vac Non-programmable digital thermostat 1H/1C, 2H/2C Heat-Off -Cool, Fan Auto-On	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac Non-programmable setting available
9550 series	24Vac Deluxe Non-programmable digital thermostat, auto changeover 1H/1C, Gas, Electric, Oil, heat pump capable. Heat-Off -Cool, Fan Auto-On	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac Non-programmable setting available
9600 series	24Vac Deluxe Programmable digital thermostat, 5-2 day auto changeover 1H/1C,2H/2C Gas, Electric, Oil, heat pump capable. Heat-Off -Cool, Fan Auto-On	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7 Day programmable
8600 series	24Vac Deluxe Programmable digital thermostat, 5-2day auto changeover, touch screen appearance, 1H/1C,2H/2C Gas, Electric, Oil, heat pump capable. Heat-Off -Cool, Fan Auto-On	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7 Day programmable
9900 series	24Vac Deluxe Programmable digital thermostat, 5-2day or 5-1-1 or 24 hour programming, auto changeover, occupied/ unoccupied setting, 1H/1C,2H/2C Gas, Electric, Oil, heat pump capable. Remote sensor capable.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7 Day programmable Commercial Setting available, Remote sensor unavailable
9850 series	24Vac Deluxe Programmable digital thermostat, Humidifies and dehumidifies, 7day or 5-2day or 5-1-1 or 24 hour programming, auto changeover, occupied/ unoccupied setting, 1H/1C,2H/2C Gas, Electric, Oil, heat pump capable. Remote sensor capable.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7 Day programmable Commercial Setting available
9800 series	24Vac Deluxe Programmable digital thermostat, integrated humidity sensing, 7day or 5-2day or 5-1-1 or 24 hour programming, auto changeover, 1H/1C,2H/2C Gas, Electric, Oil, heat pump capable. Remote sensor capable.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7 Day programmable Commercial Setting available
9700 series	24Vac Deluxe Programmable digital thermostat, 7day or 5-2day or 5-1-1 or 24 hour programming, auto changeover, 1H/1C,2H/2C Gas, Electric, Oil, heat pump capable. Remote sensor capable.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7 Day programmable Universal Application, Remote sensor unavailable
RS6000 series	24Vac Programmable digital thermostat, 7day programming, auto changeover, 1H/1C,2H/2C Gas, Electric, Oil, heat pump capable. Battery back up.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7 Day programmable Universal Application
RS5000 series	24Vac Programmable digital thermostat, 5-2 day programming, auto changeover, 1H/1C,2H/2C Gas, Electric, Oil, heat pump capable. Battery back up.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7 Day programmable Universal Application

Honeywell Obsolete Part No.	Features	Current Part No.	Comments
T6651E1248	Heat or cool Only, 24 - 230Vac Input, 7 daywprogrammable with 4 periods per day and frost protection.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac 7 day programmable, with R4611G transformer to work on 240Vac system
T6651E1011	Heat or cool Only, 24 - 230Vac Input, 7 dayw programmable with 4 periods per day and frost protection.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac 7 day programmable, with R4611G transformer to work on 240Vac system
T6651E1003	Heat or cool Only, 24 - 230Vac Input, 7 dayw programmable with 4 periods per day and frost protection.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac 7 day programmable, with R4611G transformer to work on 240Vac system
T6641E1021	1 Heat Only, 24 - 230Vac Input, 24 hours program with 4 periods per day and frost protection.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac 7 day programmable, with R4611G transformer to work on 240Vac system
T6641E1006	1 Heat Only, 24 - 230Vac Input, 24 hours program with 4 periods per day and frost protection.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac 7 day programmable, with R4611G transformer to work on 240Vac system
T6667B1002	1 Heat or 1 Cool, 24 - 230Vac Input, 7 days programmable with 6 periods per day, Party, day off & holiday mode.,	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac 7 day programmable, with R4611G transformer to work on 240Vac system
T822D2584	1 Heat Conventional systems, 2 wire connection, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7 Day programmable Universal Application,
T834C2192	1 Heat & 1 Cool Conventional system, temp Range 13 - 35°C, Heat-Cool & Fan Switches, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T8401C1015	1 Heat & 1 Cool Conventional system, Digital non-programmable, temp Range 4 - 37°C, Heat-Cool & Fan Switches, manual changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T8411R1002	2 Heat & 1 Heat Pump systems, Taupe Color, Digital non-programmable, temp Range 4 - 37°C, Heat-Cool & Fan Switches, manual changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T8411R1028	2 Heat & 1 Heat Pump systems, Premier white Color, Digital non-programmable, temp Range 4 - 37°C, Heat-Cool & Fan Switches, manual changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T8132A1049	1 Heat & 1 Cool, Conventional Systems, 5 + 2 Digital Programmable with 4 Periods per day,24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T8011R1022	2 Heat & 1 Cool Heat Pump systems, Premier white Color, 5+2 Digital programmable with 4 periods per day, temp Range 4 - 30°C, Heat-Cool & Fan Switches, manual changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T8002C1000	1 Heat & 1 Cool Conventional system, 5+2 Digital programmable with 4 periods per day, temp Range 4 - 30°C, Heat-Cool & Fan Switches, manual changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T8602C2069 (Chronotherm3)	1 Heat & 1 Cool Conventional system, 7 days Digital programmable with 4 periods per day, temp Range 4.5 - 32°C, Heat-Cool & Fan Switches, manual changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T8602D2000	1 Heat & 1 Cool Conventional system, 7 days Digital programmable with 4 periods per day, temp Range 4.5 - 32°C, Heat-Cool & Fan Switches, Auto changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T8624D2004	2 Heat & 2 Cool Conventional system, 7 days Digital programmable with 4 periods per day, temp Range 4.5 - 32°C, Heat-Cool & Fan Switches, Auto changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T8611G2085 (Chronotherm 3)	2 Heat & 1 Cool Heat Pump systems, 7 days Digital programmable with 4 periods per day, temp Range 4.5 - 32°C, Heat-Cool & Fan Switches, Auto changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T8611M2025	3 Heat & 3 Cool Heat Pump systems, 7 days Digital programmable with 4 periods per day, temp Range 4.5 - 32°C, Heat-Cool & Fan Switches, Auto changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface Commercial Application available
Y594G1534	2 Heat & 1 Cool Heat Pump systems, Non- programmable, temp Range 10 - 25°C, Heat-Cool & Fan Switches, Combination of Thermostat and subbase, manual changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface Commercial Application available
T874A1226	1 Heat & 1 Cool Conventional systems, electro-mechanical, temp Range 10 - 25°C, Heat-Cool & Fan Switches, adjustable heat anticipator thermometer, manual changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface Commercial Application available
T874D1223	2 Heat & 2 Cool Conventional systems, electro-mechanical, temp Range 10 - 25°C, Heat-Cool & Fan Switches, adjustable heat anticipator thermometer, manual changeover, 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T7100 / Q7100A1010	Up to 2 Heat & 2 Cool Conventional Systems, non-programmable, auto or manual changeover, integral or remote sensor, Inc T7100 Thermostat,24Vac Inpput.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T7100 / Q7100C1016	Up to 2 Heat & 1 Cool Heat Pump Systems, non-programmable, auto or manual changeover, integral or remote sensor, Inc T7100 Thermostat,24Vac Inpput.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T7100 / Q7100C1073	Up to 3 Heat & 2 Cool Heat Pump Systems, non-programmable, auto or manual changeover, integral or remote sensor, Inc T7100 Thermostat, 24Vac Inpput.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface
T7300 / Q7300A2016	Up to 2 Heat & 2 Cool Conventional systems, 7 days programmable with 4 periods per day, temp Range 4.5 - 32°C, Heat-Cool & Fan Switches, Auto or manual changeover, optional discharge sensor 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface

Honeywell

Honeywell Obsolete Part No.	Features	Current Part No.	Comments
T7300 / Q7300C2012	Up to 2 Heat & 2 Cool Conventional systems, 7 days programmable with 4 periods per day, temp Range 4.5 - 32°C, Heat-Cool & Fan Switches, Auto or manual changeover, optional discharge sensor 24Vac Input.	TH9320WF3003	Wi-Fi 9000 Manhattan Thermostat - ANZ, up to 3H/2C heat pump and 2H/2C conventional 24Vac 7day programmable Colour Touch- Screen interface Commercial Application available
T4060B3400	1 Heat ,temp dial, dual diaphragm sensors, 240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-Programmable Setting available
T6060B3464	1 Heat or 1 Cool, Conventional Heating or Cooling System, dual diaphragm sensors, 240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-Programmable Setting available
T4060B3232	1 Heat ,temp dial, dual diaphragm sensors, 240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-Programmable Setting available
T6060B1302	Cool only ,temp dial, dual diaphragm sensors, 240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-Programmable Setting available
T6060B3247	Cool only ,temp dial, dual diaphragm sensors, 240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-Programmable Setting available
T6060B3464	Cool only ,temp dial, dual diaphragm sensors, 240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-Programmable Setting available
T6060B3247 + Q6060A3102	1 Heat & 1 Cool Heat Pump System, dual diaphragm, Heat/off/Cool switch, 240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-Programmable Setting available
T6060B3464 + Q6060A3102	1 Heat & 1 Cool Heat Pump System, dual diaphragm, Heat/off/Cool switch, 240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-Programmable Setting available
Q6060D3108	1 Heat & 1 Cool Heat Pump system or 2 Hear or 2 Cool, , sequential switching, Heat Anticipator, 240Vac Input.	TH9320WF3003 + R4611G2001	Wi-Fi 9000 Manhattan Thermostat - 24Vac with R4611G transformer to work on 240Vac system Non-Programmable Setting available