

Movement by Perfection



The Royal League in ventilation, control and drive technology



Product documentation

Type FN080-ZIQ.GL.V7P3

Article number 154946



The Royal League Die Königsklasse

Product documentation

Customer

Project

ZIEHL-ABEGG Contact Anthony Mamo

ZIEHL-ABEGG Subsidiary Australia ZIEHL-ABEGG Australia Pty Ltd (VIC) 181 Calarco Drive Derrimut VICTORIA 3030 AUSTRALIA Phone +61 3 99310899 Fax +61 3 99310499 www.ziehl-abegg.com.au info@ziehl-abegg.com.au

Type FN080-ZIQ.GL.V7P3

Article number 154946



Contents

1.	Product specification	3
2.	Characteristic Curve	4
3.	Drawing	5
4.	Connection diagram	6
5.	EU-Declaration of conformity	7



© ZIEHL-ABEGG SE

TPL_PG_Datenblatt-V6-10

Release Date: 08.02.2013

The Royal League Die Königsklasse

1. Product specification

Technical data

Article number	154946	
Туре	FN080-ZIQ.GL.V7P3	
Designation	Axial fan with sickle blades	
Rated values	3~380-480V 50/60Hz P₁3.10kW 4.80-3.80A 1100 min ⁻¹ 55 °C	
Electrical connection	Integrated controller	
Min. operating temperature °C	-35	
Type of protection	IP54	
Thermal class	THCL155	
Connection diagram	1360-403	
Rating plate	1x fixed	
Fitting position	H/Vu/Vo	
Motor protection	integrated active temperaturemanagement	
Impregnation	Moisture and hot climate protection	
Quality of bearings	ball bearing with long-time lubrication	
Material Rotor	Aluminium	
Painting rotor	Rotor 1 coat painted	
colour rotor	RAL 5002 (ultramarine blue)	
Material blades	Aluminium	
Painting impeller	unpainted	
Certification	UL Listed Product	
Guard grille type	ring grille	
Painting pipe	Bell mouth powder-coated consistency class 2	
Colour pipe	RAL 9005 (jet black)	
Painting mot.suspens	Motor suspension powder-coated consistency class 2	
colour suspension	RAL 9005 (jet black)	
Weight kg	51,40	
ErP Data	Efficiency η_{statA} : 46.4 % Efficiency: $N_{actual} = 49.9 / N_{target} = 40^*$ *ErP 2015	

www.ziehl-abegg.com 11/07/2016 2:04:03 PM



© ZIEHL-ABEGG SE


TPL_PG_Datenblatt-V6-10

Release Date: 08.02.2013


The Royal League Die Königsklasse

2. Characteristic Curve

Air performance



Acoustics



3500 45 **40** 3000 35 2500 nsF,sys [%] 30 ∑ 2000-Sc 1500-25 20 15 1000 10 500 5 0. 0 15000 30000 5000 5000 15000 30000 0 0 qv [m3/h] qv [m3/h]

Gemessen in Volldüse ohne Berührschutzgitter in Einbauart A nach ISO 5801

www.ziehl-abegg.com 11/07/2016 2:04:03 PM Movement by Perfection | Bewegung durch Perfektion



© ZIEHL-ABEGG SE


TPL_PG_Datenblatt-V6-10

Release Date: 08.02.2013

Technical changes reserved

The Royal League Die Königsklasse

3. Drawing



Dimensions in mm

Shown drawing is just to show the dimensions of the fan.

www.ziehl-abegg.com 11/07/2016 2:04:03 PM Movement by Perfection | Bewegung durch Perfektion



© ZIEHL-ABEGG SE

TPL_PG_Datenblatt-V6-10


Release Date: 08.02.2013

Technical changes reserved

The Royal League Die Königsklasse

4. Connection diagram

1360-403



www.ziehl-abegg.com 11/07/2016 2:04:03 PM Movement by Perfection | Bewegung durch Perfektion



© ZIEHL-ABEGG SE

TPL_PG_Datenblatt-V6-10

Release Date: 08.02.2013

Technical changes reserved

The Royal League Die Königsklasse

5. EU-Declaration of conformity

EC-Declaration of conformity

- Translation -(english) ZA75-GB 1616 Index 011 00285644-GB

Manufacturer:

ZIEHL-ABEGG SE Heinz-Ziehl-Straße 74653 Künzelsau Germany

The manufacturer is solely responsible for issuance of the declaration of conformity.

The products:

- · External rotor motor MK.., MW..
- Axial fan FA.., FB.., FC.., FE.., FF.., FS.., FT.., FH.., FL.., FN.., FV.., DN.., VR.., VN.., ZC.., ZF.., ZN..
- Centrifugal fan RA.., RD.., RE.., RF.., RG.., RH.., RK.., RM.., RR.., RZ.., GR.., ER..
- · Cross-flow fan QK ..., QR ..., QT ..., QG ...

The engine type:

- Asynchronous internal or external rotor motor
- · Asynchronous internal or external rotor motor with integrated frequency inverter, except EDP system
- · Electronically commutated (EC) internal or external rotor motor
- · Electronically commutated internal or external rotor motor with integrated EC Controller, except EDP system

These products comply with the following EU directives:

- EMC Directive 2014/30/EU
- Low voltage directive 2014/35/EU
- ErP Directive 2009/125/EC, in conjunction with Regulation (EU) no. 327/2011

The following harmonized standards are in use:

EN 60034-1:2010 + Cor.:2010 EN 61000-6-3:2007 + A1:2011 + AC:2012 EN 60204-1:2006 + A1:2009 + AC:2010 EN 61000-6-2:2005 + AC:2005 EN 60529:1991 + A1:2000 + A2:2013

Compliance with the ErP Directive 2009/125/EC does not refer to external rotor motors MK.., MW..

All ErP-relevant information comprises measurements which are determined using a standardised measurement set-up. More details can be obtained from the manufacturer.

Compliance with the EMC Directive 2014/30 / EU refers only to those products when they are connected by mounting / operating instructions. If these products are integrated into a system or supplemented with other components (eg. sensing controls) and operated , the manufacturer or operator is responsible of the overall system for compliance with the EMC Directive 2014/30 / EU.

Künzelsau, 20.04.2016 (Location, date of issue)

ZIEHL-ABEGG SE Dr. W. Angelis Technical Director Air Movement Division (Name, Function)

i.V. W. chigelis

(Signature)



www.ziehl-abegg.com 11/07/2016 2:04:03 PM Movement by Perfection | Bewegung durch Perfektion



© ZIEHL-ABEGG SE

TPL_PG_Datenblatt-V6-10

Release Date: 08.02.2013

Technical changes reserved

The Royal League Die Königsklasse



The Royal League in ventilation, control and drive technology

Intelligent control technology for any application

ZIEHL-ABEGG system capabilities: Everything from a single source – perfectly matched for optimal performance

Please contact us. We would be pleased to design an individual solution for your requirements.

We would like to welcome you on our worldwide exhibitions. Please find our next exhibitions here.

Release Date: 08.02.2013



Technical changes reserved

© ZIEHL-ABEGG SE

All rights reserved. Confidential and proprietary document, not to be disclosed or used except in accordance with applicable agreements. No disclosure to third parties, if not expressively agreed by ZA SE.

TPL PG Datenblatt-V6-10